FS 2.6019:11/53

Morbidity and Mortality Weekly Report

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

Prepared by the COMMUNICABLE DISEASE CENTER 634-5131

For release September 16, 1963 ATLANTA, GEORGIA 30333 Vol. 11, No. 53

UNIVERSITY OF FLORIDA LIBRARIES OCT 1963

ANNUAL SUPPLEMENT

REPORTED INCIDENCE OF NOTIFIABLE DISEASES IN THE UNITED STATES, 1962

This Supplement carries final figures on the reported incidence of notifiable diseases in 1962 based on summaries submitted by the individual States and Territories of the United States.

In 1962, approximately 500,000 cases of measles were reported, admittedly less than probably occurred, but sufficient to indicate the trend of the disease. The graph below shows the number of reported cases for the past five years, and the number of recorded deaths during the past four. These are shown by month on an overlapping log scale.

The seasonal distribution of the data shows that the number of deaths parallels the number of cases: in the early spring months when measles cases are at a maximum, the number of deaths reaches a maximum, and similarly during the summer months when measles cases are at a minimum, deaths are few.

With the advent of measles vaccines, the year 1962 may mark a point of change in the regular recurring annual curves which have been strikingly consistent over the past years for this disease.

MEASLES

Reported Cases and Deaths by Month, United States, 1958-1962

(on overlapping Log scale)



INDEX OF TABLES

		Page
Table 1.	Diseases Covered by International Quarantine Agreement	3
Table 2.	Reported Cases of Specified Notifiable Diseases: United States, 1953-1962	4
Table 3.	(A) Deaths from Specified Notifiable Diseases: United States, 1952-1961	5
	(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1952-1961	6
Table 4.	Reported Cases of Notifiable Diseases by Month: United States, 1962	7
Table 5.	Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1962	8
Table 6.	Newly Reported Active Tuberculosis Cases: United States, by Geographic Division, by State, by Age, 1962	13
Table 7.	Newly Reported Cases of Venereal Diseases: United States, by Geographic Division, by State; Age and Sex, (Civilian Cases only), 1962	14
Table 8.	Rabies in Man and Animals, by State, by Type of Animal, United States, 1962	15
Table 9.	Reported Cases of Selected Notifiable Diseases by State, by Age, 1962	16
Table 10.	Reported Cases of Selected Notifiable Diseases by State, by Month, 1962	23
Table 11.	Acute Diseases Optionally Reported to the Public Health Service, by State, 1962	25
Table 12.	Other Diseases Optionally Reported (Diseases reported by 10 States or less)	27

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available ----------	. . .
Quantity Zero ----------	-
Report of Disease not required by State Health Department	NN

TABLE 1. REPORTED INCIDENCE OF DISEASES COVERED BY INTERNATIONAL QUARANTINE AGREEMENT

1953 - 1962

International Classification of Diseases Covered		Number Reported									
		1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
043	Cholera	-	-	-	-	-	-	-	-	-	-
058	Plague	-	3	2	4	-	1	1	-	-	-
071.0	Louse-borne relapsing fever	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-
091	Yellow fever	-	-	-	-	-	-	-	-	-	-
100	Louse-borne epidemic typhus	-	-	-	-	-	-	-	-	-	-

DISTRIBUTION OF REPORTED TETANUS CASES
BY STATE BY BROAD AGE GROUPS, U. S., 1962



TABLE 2. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1953 - 1962

DISEASE	1962[1]	1961[1]	1960[1]	1959[1]	1958	1957	1956	1955	1954	1953
Amebiasis	3,048	2,850	3,424	3,508	4,380	5,031	3,689	3,348	3,523	4,444
Anthrax	9	14	23	12	16	26	38	39	22	45
Aseptic Meningitis	2,654	5,162	1,593	.....	.....	.....	not previously reportable nationally	.....	.....	.....
Botulism	10	14	12	20	6	28	17	16	18	18
Brucellosis (undulant fever)	409	636	751	892	924	983	1,300	1,444	1,823	2,032
Diphtheria	444	617	918	934	918	1,211	1,568	1,984	2,041	2,355
Encephalitis, total acute infectious	2,094	2,248	2,341	2,437	2,587	2,135	2,624	2,166	2,606	1,935
Hepatitis, infectious and serum	53,016	72,651	41,666	23,574	16,294	14,922	19,234	31,961	50,093	33,700
Leprosy	80	63	54	44	39	36	52	75	56	60
Leptospirosis	79	71	53	83	55	47	44	24	48	42
Malaria	118	73	72	71	85	132	234	522	715	1,310
Measles	481,530	423,919	441,703	406,162	763,094	486,799	611,936	555,156	682,720	449,146
Meningococcal infections	2,150	2,232	2,259	2,180	2,581	2,691	2,735	3,455	4,436	5,077
Pertussis (whooping cough)	17,749	11,468	14,809	40,005	32,148	28,295	31,732	62,786	60,886	37,129
Poliomyelitis, Total	910	1,312	3,190	8,425	5,787	5,485	15,140	28,985	38,476	35,592
Paralytic	762	988	2,525	6,289	3,697	2,499	7,911	13,850	18,308	15,648
Nonparalytic	139	305	626	2,045	1,941	2,826	6,555	12,453	13,221	12,144
Unspecified	9	19	39	91	149	160	674	2,682	6,947	7,800
Psittacosis	79	102	113	147	158	278	568	334	563	169
Rabies in Man[2]	2	3	2	7	5	5	10	4	13	12
Rheumatic Fever, acute[3]	7,977	10,470	9,022	8,285	6,889	6,427	6,562	not previously reportable nationally		
Salmonellosis, excluding typhoid fever	9,680	8,542	6,929	6,606	6,363	6,693	6,704	5,447	5,375	3,946
Streptococcal sore throat and Scarlet Fever	315,809	338,410	315,173	334,715	264,097	226,973	176,392	147,502	147,785	132,935
Shigellosis (bacillary dysentery)	12,443	12,571	12,487	12,888	11,861	9,822	10,306	13,912	13,846	16,533
Tetanus	322	379	368	445	445	447	468	462	524	506
Trichinosis	194	306	160	227	176	178	262	264	277	395
Tuberculosis (newly reported active cases)[4]	53,788	53,727	55,494	57,307	63,000	66,437	68,866	76,245	78,592	83,250
Tularemia	328	365	390	459	587	601	522	584	681	601
Typhoid Fever	608	814	816	859	1,043	1,231	1,700	1,704	2,169	2,252
Typhus Fever, flea-borne (endemic, murine)	32	46	68	51	71	113	98	135	163	221
Typhus Fever, tick-borne (Rocky Mountain Spotted)	240	219	204	199	243	240	293	295	294	313
Venereal Diseases (newly reported cases)[5]										
Syphilis	126,245	124,658	122,003	120,766	113,894	123,758	130,168	122,392	130,697	148,573
Gonorrhea	263,708	264,158	258,933	240,158	232,513	214,496	224,342	236,197	242,050	238,340
Other specified venereal diseases: chancroid granuloma inguinale and lymphogranuloma venereum	2,141	2,466	2,811	2,459	2,343	2,433	2,981	3,913	4,496	4,988
Rabies in Animals	3,732	3,599	3,567	4,177	4,787	4,542	5,681	5,799	7,297	8,903

1. Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years.
2. Figures for cases of rabies in man represent registered deaths, 1953 - 1961.
3. Reports from 39 states (see p.11).
4. Figures are from the Tuberculosis Program, Public Health Service.
5. Figures are from the Venereal Disease Program, Public Health Service (civilian cases only).

TABLE 3. (A) DEATHS FROM SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1952 - 1961

(Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years. Numbers after cause of death are category numbers of the Seventh Revision, International Classification of Diseases, 1955.)

CAUSE OF DEATH		1961	1960	1959	1958	1957	1956	1955	1954	1953	1952
Amebiasis	046	84	88	124	86	95	130	106	131	129	136
Anthrax	062	1	-	-	1	2	-	-	-	-	3
Botulism	049.1	10	12	15	4	11	14	18	14	17	14
Brucellosis	044	11	6	12	8	8	9	10	15	18	23
Diphtheria	055	68	69	72	74	81	103	150	145	156	217
Encephalitis, acute infectious	082	505	528	570	537	465	424	398	407	386	471
Hepatitis, infectious	092	976	938	897	897	897	806	841	821	821	794
Leprosy	060	8	6	6	3	3	6	5	4	7	4
Leptospirosis	072	9	14	11	11	9	8	10	14	17	12
Malaria	110 - 117	3	4	7	6	14	11	18	24	32	25
Measles	085	434	380	385	552	389	530	345	518	462	618
Meningitis, except meningococcal and tuberculous	340	2,263	2,316	2,208	2,247	2,025	1,933	1,873	1,829	2,059	1,918
Menigococcal infections	057	586	644	699	746	785	762	907	1,015	1,325	1,386
Pertussis (whooping cough)	056	76	118	269	177	183	266	467	373	270	402
Plague	058	2	-	1	-	-	1	-	-	-	-
Poliomyelitis	080	90	230	454	255	221	566	1,043	1,368	1,450	3,145
Bulbar or polioencephalitis	080.0	61	146	299	164	151	402	747	981	1,030	2,320
With other paralysis	080.1	10	14	24	21	13	38	53	65	60	95
Unspecified	080.3	19	70	131	70	57	125	243	321	360	730
Psittacosis	096.2	-	-	1	3	3	3	3	3	4	5
Rabies	094	3	2	7	5	5	10	4	13	12	24
Rheumatic Fever, acute	400 - 402	608	734	795	806	900	1,033	1,131	1,297	1,523	1,583
Salmonellosis, including paratyphoid fever	041 - 042	64	82	72	65	60	62	62	48	72	42
Streptococcal Sore Throat and Scarlet Fever	050 - 051	130	108	130	139	213	240	235	262	295	351
Shigellosis (bacillary dysentery)	045	128	153	133	157	156	156	187	243	337	334
Tetanus	061	242	231	283	303	279	246	265	332	337	360
Trichinosis	128	7	3	3	4	4	5	4	1	7	10
Tuberculosis (all Forms)	001 - 019	9,938	10,866	11,456	12,361	13,324	14,061	14,940	16,392	19,544	24,621
Tularemia	059	3	3	7	6	3	4	9	4	7	8
Typhoid Fever	040	17	21	22	23	34	54	34	45	52	78
Typhus Fever - flea-borne (murine)	101	-	-	-	-	2	-	-	-	-	-
Typhus Fever - tick-borne (Rocky Mountain Spotted)	104	11	11	10	14	18	16	8	10	21	20
Venereal Diseases and Sequelae											
Syphilis	020 - 029	2,850	2,945	3,069	3,469	3,825	3,870	3,834	4,835	5,273	5,854
Gonorrhea	030 - 035	19	38	25	18	21	28	23	15	29	45
Other	036 - 039	11	15	12	20	18	20	28	29	36	38

Source: National Vital Statistics Division, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 3. (B) DEATHS FROM SELECTED NON-NOTIFIABLE ACUTE DISEASES: UNITED STATES, 1952 - 1961

DISEASE		1961	1960	1959	1958	1957	1956	1955	1954	1953	1952
Abscess of Lung	521	543	604	614	652	601	595	500	505	537	526
Boil and carbuncle	690	93	120	156	117	99	58	43	44	43	45
Other local skin conditions (cellulitis and abscess)	691 - 698	520	512	476	436	384	355	283	291	279	269
Chickenpox	087	167	126	141	146	113	116	88	120	132	101
Diarrhea of Newborn	764	419	463	492	531	516	527	547	700	697	773
Empyema and Pleurisy	518 - 519	479	456	468	424	450	416	429	433	410	425
Erysipelas	052	32	22	28	26	27	33	28	39	45	52
Fungal Infections											
Actinomycosis	132	21	28	27	21	15	24	23	17	30	25
Coccidioidomycosis	133	62	55	48	50	53	54	62	78	85	60
Blastomycosis	134.0	16	15	13	24	28	27	19	24	23	27
Cryptococcosis	134.1	86	71	84	39	55	66	74	56	48	46
Histoplasmosis	134.2	90	80	63	73	77	67	53	59	55	51
Moniliasis	134.3	100	108	101	93	82	105	87	75	77	82
Gastroenteritis and Colitis (Age 4 wks - 2 yrs)	571.0	2,596	2,957	2,862	3,066	3,412	3,166	3,663	3,900	4,588	4,869
Herpes febrilis	096.0	21	12	26	26	13	13	7	14	9	13
Herpes Zoster	088	63	78	58	46	47	52	45	44	61	53
Hydatid disease	125	3	10	8	14	5	8	8	8	8	6
Infections of Ear and Mastoid	390 - 394	314	389	399	434	404	387	474	459	472	471
Meningitis, excluding Meningococcal and Tuberculous	340	2,263	2,316	2,208	2,247	2,025	1,933	1,873	1,829	2,059	1,918
Mononucleosis, infectious	093	13	16	21	16	15	18	10	16	12	19
Mumps	089	53	42	51	37	45	49	43	45	46	55
Pemphigus	704	141	149	168	142	170	149	172	150	164	200
Pemphigus, neonatorum	766	23	30	23	26	23	22	27	33	27	21
Respiratory infections											
Bronchitis, acute	500	1,031	1,170	1,135	1,352	1,202	1,105	1,080	990	1,010	1,038
Influenza	480 - 483	2,137	7,872	2,845	4,442	7,463	2,323	2,755	2,680	9,460	5,631
Pneumonia (primary cause of death)	490 - 493	53,038	58,931	52,194	52,997	53,538	44,780	41,755	38,311	42,778	40,634
Pneumonia of newborn	763	3,541	3,544	3,761	3,918	3,715	3,400	3,108	3,140	3,074	2,943
Upper respiratory infections, acute	470 - 475	808	911	971	936	1,045	901	904	954	1,043	1,067
Sepsis of											
Abortion	651	220	191	179	159	169	136	159	170	177	191
Childbirth	680 - 681	59	76	58	50	54	48	43	56	52	81
Newborn	767 - 768	722	749	786	1,055	832	662	518	485	388	356
Septicemia and Pyemia	053	1,886	1,920	1,760	1,663	1,351	1,118	938	897	783	726
Viral diseases, undifferentiated	096.9	456	434	384	308	267	302	312	255	254	324
Worm Infestation	126 - 130	48	56	65	63	56	59	60	61	93	93

Source: National Vital Statistics Division, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 4. REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH: UNITED STATES, 1962

DISEASE	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Month not Stated
Amebiasis	3,048	218	209	277	298	318	269	233	255	225	307	244	195	-
Anthrax	9	-	1	-	3	-	-	-	1	-	1	-	3	-
Aseptic Meningitis	2,654	73	90	92	98	100	209	342	503	511	279	193	156	8
Botulism	10	1	5	-	-	-	-	-	-	-	4	-	-	-
Brucellosis (undulant fever)	409	30	27	32	40	35	50	35	46	27	29	9	31	18
Diphtheria	444	53	32	31	32	28	27	14	27	63	57	42	38	-
Encephalitis, total acute infectious	2,094	139	123	173	175	154	154	169	280	276	186	108	123	34
Hepatitis, infectious and serum	53,016	6,661	5,621	5,608	4,905	4,722	3,534	3,153	3,557	3,677	3,966	3,507	4,096	9
Leprosy	80	3	6	6	6	11	5	8	2	1	3	9	20	-
Leptospirosis	79	5	2	2	4	5	24	8	4	6	6	8	5	-
Malaria	118	5	3	4	7	10	10	10	13	20	20	7	9	-
Measles	481,530	37,209	51,839	85,514	96,087	97,786	52,167	16,967	6,259	3,459	6,532	10,919	16,787	5
Meningococcal infections	2,150	220	226	231	182	180	160	145	137	119	177	157	214	2
Pertussis (whooping cough)	17,749	1,146	1,232	1,449	1,169	1,586	1,678	1,682	1,954	1,851	1,412	1,307	1,279	4
Poliomyelitis, Total	910	36	19	15	27	42	81	111	164	161	107	93	54	-
Paralytic	762	34	17	12	23	29	66	88	139	136	98	78	42	-
Nonparalytic	139	2	2	2	3	10	13	23	24	25	10	14	11	-
Unspecified	9	-	-	1	1	3	2	-	1	-	-	1	-	-
Psittacosis-Ornithosis	79	9	8	7	5	10	2	7	10	4	8	4	5	-
Rabies in Man	2	-	-	-	-	-	-	-	1	-	1	-	-	-
Rheumatic fever, acute[1]	7,977	853	719	887	790	892	649	550	579	423	537	559	539	-
Salmonellosis, excluding typhoid fever	9,680	599	461	570	591	792	909	843	929	1,138	1,088	836	922	2
Streptococcal sore throat and scarlet fever	315,809	35,646	38,858	42,254	30,971	30,811	19,697	13,796	14,397	16,528	20,294	23,009	28,772	776
Shigellosis (bacillary dysentery)	12,443	803	567	849	824	862	1,110	1,075	1,405	1,458	1,527	1,027	936	-
Tetanus	322	14	12	16	15	34	35	41	41	30	35	29	20	-
Trichinosis	194	9	24	24	30	22	7	16	16	5	14	18	9	-
Tularemia	328	26	16	22	18	21	30	38	37	18	23	25	54	-
Typhoid Fever	608	31	37	41	33	58	57	68	71	86	42	49	35	-
Typhus fever														
Flea-borne (endemic-murine)	32	1	1	2	6	3	2	6	-	2	3	2	4	-
Tick-borne (Rocky Mountain spotted)	240	2	-	1	3	32	64	66	40	22	8	-	2	-
Rabies in Animals	3,732	259	320	468	454	407	335	323	258	216	253	209	229	1

1. Based on Reports from 39 States.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962

AREA	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BOTULISM	BRUCELLOSIS	DIPHTHERIA
UNITED STATES	3,048	9	2,654	10	409	444
NEW ENGLAND	22	3	36	-	5	3
Maine	-	-	8	-	-	-
New Hampshire	-	-	1	-	1	-
Vermont	-	-	-	-	1	-
Massachusetts	1	3	15	-	1	1
Rhode Island	3	-	12	-	-	1
Connecticut	18	-	NN	-	2	1
MIDDLE ATLANTIC	1,210	2	210	-	8	20
New York	954	-	85	-	5	16
New Jersey	206	-	85	-	1	2
Pennsylvania	50	2	40	-	2	2
EAST NORTH CENTRAL	191	-	356	-	77	14
Ohio	15	-	104	-	1	1
Indiana	7	-	14	-	5	4
Illinois	135	-	96	-	57	4
Michigan	32	-	125	-	6	4
Wisconsin	2	-	17	-	8	1
WEST NORTH CENTRAL	124	-	171	-	177	102
Minnesota	1	-	126	-	14	29
Iowa	36	-	5	-	105	15
Missouri	3	-	7	-	4	5
North Dakota	-	-	-	-	2	9
South Dakota	-	-	1	-	15	22
Nebraska	-	-	1	-	15	21
Kansas	84	-	31	-	22	1
SOUTH ATLANTIC	86	1	255	-	37	134
Delaware	-	1	40	-	-	1
Maryland	7	-	[1]	-	2	-
District of Columbia	-	-	12	-	1	1
Virginia	28	-	47	-	13	18
West Virginia	1	-	10	-	-	2
North Carolina	11	-	-	-	-	11
South Carolina	3	-	6	-	-	10
Georgia	7	-	NN	-	14	47
Florida	29	-	140	-	7	44
EAST SOUTH CENTRAL	137	1	222	4	20	33
Kentucky	4	-	69	1	1	-
Tennessee	11	-	59	3	10	4
Alabama	75	-	23	-	7	20
Mississippi	47	1	71	-	2	9
WEST SOUTH CENTRAL	334	-	433	-	38	118
Arkansas	43	-	19	-	11	20
Louisiana	31	-	NN	-	10	10
Oklahoma	168	-	57	-	7	8
Texas	92	-	357	-	10	80
MOUNTAIN	240	2	132	3	14	12
Montana	-	-	9	-	1	6
Idaho	2	-	-	-	1	1
Wyoming	-	-	-	-	1	-
Colorado	5	-	93	-	-	-
New Mexico	50	2	-	3	-	5
Arizona	183	-	18[2]	-	6	-
Utah	-	-	12	-	5	-
Nevada	-	-	-	-	-	-
PACIFIC	704	-	839	3	33	8
Washington	1	-	62	-	-	-
Oregon	24	-	8	-	2	-
California	679	-	765	2	28	6
Alaska	-	-	2	1	2	2
Hawaii	-	-	2	-	1	-
Puerto Rico	24	-	12	-	-	56

1. Aseptic Meningitis, included with Encephalitis.
2. Includes Meningitis, other.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962 — Continued

AREA	ENCEPHALITIS (Acute, Infectious)	HEPATITIS (Infectious and Serum)	LEPROSY	LEPTOSPIROSIS	MALARIA (Acquired Outside and Within U.S.)	MEASLES
UNITED STATES	2,094	53,016	80	79	118	481,530
NEW ENGLAND	112	3,837	-	1	10	58,787
Maine	9	1,201	-	-	-	7,135
New Hampshire	3	379	-	-	2	1,552
Vermont	-	86	-	-	-	2,040
Massachusetts	31	1,616	-	-	3	26,969
Rhode Island	40	157	-	-	1	3,184
Connecticut	29	398	-	1	4	17,907
MIDDLE ATLANTIC	493	8,355	8	4	8	89,696
New York	255	4,330	5	2	5	47,155
New Jersey	120	1,488	3	-	2	33,093
Pennsylvania	118	2,537	-	2	1	9,448
EAST NORTH CENTRAL	294	10,384	4	1	7	76,159
Ohio	139	3,340	1	1	-	11,928
Indiana	56	1,123	1	-	1	6,261
Illinois	48	2,257	2	-	5	16,623
Michigan	45	3,280	-	-	1	25,303
Wisconsin	6	384	-	-	-	16,044
WEST NORTH CENTRAL	92	3,510	-	13	10	18,440
Minnesota	15	860	-	1	3	1,675
Iowa	22	978	-	9	-	10,753
Missouri	11	749	-	-	5	1,236
North Dakota	10	180	-	-	-	4,162
South Dakota	3	111	-	-	-	462
Nebraska	4	224	-	1	1	152
Kansas	27	408	-	2	1	NN
SOUTH ATLANTIC	428	6,317	6	9	48	30,485
Delaware	-	68	-	-	-	427
Maryland	43[1]	763	1	-	2	3,128
District of Columbia	9	154	-	1	1	679
Virginia	23	1,176	2	2	3	9,675
West Virginia	9	909	1	1	-	10,007
North Carolina	43	1,785	1	1	34	944
South Carolina	10	281	-	1	-	930
Georgia	26	272	-	1	-	431
Florida	265	909	1	2	8	4,264
EAST SOUTH CENTRAL	80	6,396	-	8	6	35,849
Kentucky	12	2,405	-	-	3	6,193
Tennessee	33	2,039	-	4	-	24,476
Alabama	1	1,076	-	1	2	2,423
Mississippi	34	876	-	3	1	2,757
WEST SOUTH CENTRAL	133	3,728	29	4	-	70,700
Arkansas	23	571	-	-	-	1,438
Louisiana	NN	555	1	2	-	252
Oklahoma	15	211	-	-	-	2,095
Texas	95	2,391	28	2	-	66,915
MOUNTAIN	35	2,833	-	2	5	32,340
Montana	6	281	-	-	-	8,662
Idaho	2	363	-	-	-	1,688
Wyoming	3	97	-	-	-	491
Colorado	-	667	-	1	-	9,001
New Mexico	3	297	-	-	2	1,451
Arizona	11	780	-	-	2	6,305
Utah	8	320	-	1	-	4,067
Nevada	2	28	-	-	1	675
PACIFIC	427	7,656	33	37	24	69,074
Washington	-	1,502	-	2	-	22,060
Oregon	26	884	2	1	1	13,868
California	399	4,749	19	2	9	28,585
Alaska	1	460	-	-	-	1,386
Hawaii	1	61	12	32	14	3,175
Puerto Rico	-	1,114	3	1	-	4,865

1. Includes Aseptic Meningitis.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:

UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962 — Continued

AREA	MENINGOCOCCAL INFECTIONS	PERTUSSIS (Whooping Cough)	POLIOMYELITIS			
			Total	Paralytic	Nonparalytic	Unspecified
UNITED STATES	2,150	17,749	910	762	139	9
NEW ENGLAND	129	1,341	13	13	-	-
Maine	23	263	-	-	-	-
New Hampshire	5	98	3	3	-	-
Vermont	4	264	1	1	-	-
Massachusetts	52	329	7	7	-	-
Rhode Island	13	187	-	-	-	-
Connecticut	32	200	2	2	-	-
MIDDLE ATLANTIC	378	1,748	88	79	9	-
New York	164	802	60	53	7	-
New Jersey	88	200	7	7	-	-
Pennsylvania	126	746	21	19	2	-
EAST NORTH CENTRAL	398	4,595	143	124	19	-
Ohio	97	307	18	18	-	-
Indiana	36	481	27	24	3	-
Illinois	99	1,021	65	54	11	-
Michigan	139	1,756	21	19	2	-
Wisconsin	27	1,030	12	9	3	-
WEST NORTH CENTRAL	118	380	42	35	7	-
Minnesota	29	164	7	7	-	-
Iowa	12	87	7	4	3	-
Missouri	29	67	12	10	2	-
North Dakota	9	45	5	3	2	-
South Dakota	8	14	2	2	-	-
Nebraska	18	3	9	9	-	-
Kansas	13	NN	-	-	-	-
SOUTH ATLANTIC	315	1,936	86	77	9	-
Delaware	8	98	-	-	-	-
Maryland	29	121	2	2	-	-
District of Columbia	7	19	2	1	1	-
Virginia	78	269	8	8	-	-
West Virginia	19	786	18	18	-	-
North Carolina	73	152	15	13	2	-
South Carolina	22	102	7	7	-	-
Georgia	32	8	20	18	2	-
Florida	47	381	14	10	4	-
EAST SOUTH CENTRAL	142	1,793	82	72	10	-
Kentucky	39	736	26	20	6	-
Tennessee	59	776	12	8	4	-
Alabama	21	119	21	21	-	-
Mississippi	23	162	23	23	-	-
WEST SOUTH CENTRAL	191	1,962	339	267	71	1
Arkansas	23	83	26	21	5	-
Louisiana	77	10	33	31	2	-
Oklahoma	18	24	33	29	3	1
Texas	73	1,845	247	186	61	-
MOUNTAIN	78	942	24	13	3	8
Montana	-	70	2	1	-	1
Idaho	20	56	2	1	-	1
Wyoming	5	38	2	1	1	-
Colorado	14	100	4	4	-	-
New Mexico	9	61	8	2	-	6
Arizona	15	479	4	3	1	-
Utah	3	121	1	1	-	-
Nevada	12	17	1	-	1	-
PACIFIC	401	3,052	93	82	11	-
Washington	29	663	6	6	-	-
Oregon	25	422	6	4	2	-
California	334	1,849	81	72	9	-
Alaska	7	117	-	-	-	-
Hawaii	6	1	-	-	-	-
Puerto Rico	8	676	13	13	-	-

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:

UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962 — Continued

AREA	PSITTACOSIS-ORNITHOSIS	RABIES IN MAN	RHEUMATIC FEVER, ACUTE	SALMONELLOSIS	SHIGELLOSIS	STREPTOCOCCAL SORE THROAT & SCARLET FEVER
UNITED STATES	79	2	7,977	9,680	12,443	315,809
NEW ENGLAND	7	-	25	756	399	21,777
Maine	-	-	8	79	131	2,466
New Hampshire	-	-	1	20	8	275
Vermont	-	-	-	19	3	794
Massachusetts	1	-	-	522	173	4,053
Rhode Island	-	-	16	20	8	1,577
Connecticut	6	-	-	96	76	12,612
MIDDLE ATLANTIC	12	-	-	1,610	745	17,002
New York	6	-	-	775	308	9,837
New Jersey	1	-	-	156	115	3,137
Pennsylvania	5	-	-	679	322	4,028
EAST NORTH CENTRAL	29	-	4,991	1,324	892	30,549
Ohio	1	-	1,779	322	53	3,923
Indiana	1	-	47	72	37	5,180
Illinois	4	-	1,671	402	326	6,317
Michigan	3	-	1,384	331	292	8,116
Wisconsin	20	-	110	197	184	7,013
WEST NORTH CENTRAL	8	-	275	863	468	9,732
Minnesota	4	-	70	322	166	945
Iowa	-	-	25	81	25	2,854
Missouri	4	-	37	46	60	466
North Dakota	-	-	132	40	51	3,626
South Dakota	-	-	-	22	75	158
Nebraska	-	-	-	14	18	34
Kansas	-	-	11	338	73	1,649
SOUTH ATLANTIC	4	-	508	1,678	1,693	26,430
Delaware	-	-	7	37	25	239
Maryland	1	-	-	228	179	907
District of Columbia	-	-	2	100	104	87
Virginia	-	-	-	167	168	7,511
West Virginia	-	-	24	11	7	6,476
North Carolina	3	-	-	126	177	1,380
South Carolina	-	-	115	11	28	2,833
Georgia	-	-	13	357	499	413
Florida	-	-	347	641	506	6,584
EAST SOUTH CENTRAL	1	-	633	291	649	53,359
Kentucky	-	-	201	32	18	4,256
Tennessee	1	-	227	124	389	44,489
Alabama	-	-	196	102	177	913
Mississippi	-	-	9	33	65	3,701
WEST SOUTH CENTRAL	-	1	90	539	4,005	36,247
Arkansas	-	-	4	71	176	105
Louisiana	-	-	26	303	145	194
Oklahoma	-	-	12	23	171	764
Texas	-	1	48	142	3,513	35,184
MOUNTAIN	6	1	1,162	413	609	60,056
Montana	2	-	138	13	7	2,480
Idaho	-	1	249	1	3	6,065
Wyoming	-	-	277	3	10	2,879
Colorado	2	-	140	178	122	21,032
New Mexico	-	-	119	33	167	13,522
Arizona	1	-	220	106	260	7,887
Utah	1	-	19	73	35	6,125
Nevada	-	-	-	6	5	66
PACIFIC	12	-	293	2,206	2,983	60,657
Washington	-	-	112	202	282	18,916
Oregon	1	-	42	147	357	1,419
California	10	-	108	1,582	2,233	37,024
Alaska	1	-	26	11	1	1,951
Hawaii	-	-	5	264	110	1,347
Puerto Rico	-	-	-	21	18	128

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1962 — Continued

AREA	TETANUS	TRICHINOSIS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER	
					Flea-borne (Murine)	Tick-borne (Rocky Mountain Spotted)
UNITED STATES	322	194	328	608	32	240
NEW ENGLAND	7	30	1	11	-	1
Maine	-	2	-	2	-	-
New Hampshire	-	1	-	-	-	-
Vermont	-	-	-	-	-	-
Massachusetts	4	6	1	8	-	-
Rhode Island	1	1	-	1	-	1
Connecticut	2	20	-	-	-	-
MIDDLE ATLANTIC	23	96	3	65	1	19
New York	15	66	1	37	1	11
New Jersey	1	15	-	10	-	6
Pennsylvania	7	15	2	18	-	2
EAST NORTH CENTRAL	42	27	47	92	1	17
Ohio	5	13	3	41	-	6
Indiana	14	-	16	12	-	7
Illinois	13	5	19	19	-	4
Michigan	7	7	1	12	-	-
Wisconsin	3	2	8	8	1	-
WEST NORTH CENTRAL	28	-	53	34	-	2
Minnesota	9	-	-	-	-	-
Iowa	5	-	2	3	-	1
Missouri	4	-	26	25	-	1
North Dakota	-	-	-	3	-	-
South Dakota	-	-	1	1	-	-
Nebraska	2	-	-	2	-	-
Kansas	8	-	24	-	-	-
SOUTH ATLANTIC	66	10	46	106	9	117
Delaware	-	-	-	2	-	1
Maryland	2	2	1	3	-	16
District of Columbia	1	-	-	10	-	2
Virginia	4	-	17	17	-	45
West Virginia	1	-	3	6	-	1
North Carolina	11	2	5	13	2	35
South Carolina	4	-	1	9	-	6
Georgia	14	6	19	21	5	10
Florida	29	NN	-	25	2	1
EAST SOUTH CENTRAL	51	9	42	66	6	39
Kentucky	8	1	1	17	-	7
Tennessee	13	7	35	30	2	21
Alabama	16	-	3	12	4	11
Mississippi	14	1	3	7	-	-
WEST SOUTH CENTRAL	71	4	95	122	13	17
Arkansas	11	-	60	34	1	6
Louisiana	22	3	11	31	-	-
Oklahoma	4	-	13	7	-	11
Texas	34	1	11	50	12	-
MOUNTAIN	8	4	33	48	-	23
Montana	-	-	2	10	-	7
Idaho	-	-	-	1	-	3
Wyoming	-	-	14	2	-	6
Colorado	2	-	-	8	-	6
New Mexico	1	-	-	14[1]	-	-
Arizona	3	4	1	11	-	-
Utah	2	-	16	2	-	-
Nevada	-	-	-	-	-	1
PACIFIC	26	14	8	64	2	5
Washington	3	3	-	4	-	1
Oregon	-	2	2	1	-	2
California	21	8	5	57	-	2
Alaska	-	-	1	-	-	-
Hawaii	2	1	-	2	2	-
Puerto Rico	109	-	-	18	2	-

1. Includes Paratyphoid.

TABLE 6. NEWLY REPORTED ACTIVE TUBERCULOSIS CASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, BY AGE, 1962

AREA	TOTAL	Under 5	5-14	15-24	25-44	45-64	65 & Over	Age Not Stated
UNITED STATES	53,788	3,029	3,036	4,797	15,429	17,080	9,713	704
NEW ENGLAND	1,984	95	68	145	535	716	405	20
Maine	164	6	7	11	32	65	39	4
New Hampshire	70	4	1	2	15	32	16	-
Vermont	58	3	2	8	8	19	17	1
Massachusetts	1,182	57	44	85	335	428	233	-
Rhode Island	173	13	4	16	37	65	26	12
Connecticut	337	12	10	23	108	107	74	3
MIDDLE ATLANTIC	11,780	653	559	1,084	3,566	3,620	2,071	227
New York	6,442	361	296	655	2,056	1,916	1,045	113
New Jersey	1,670[1]	94	94	148	479	531	302	22
Pennsylvania	3,668[1]	198	169	281	1,031	1,173	724	92
EAST NORTH CENTRAL	10,662	506	586	916	3,247	3,255	1,993	159
Ohio	2,447	155	204	209	713	671	479	16
Indiana	1,231	21	30	101	363	393	279	44
Illinois	3,895	156	125	334	1,376	1,261	580	63
Michigan	2,288	142	195	195	621	698	421	16
Wisconsin	801[2]	32	32	77	174	232	234	20
WEST NORTH CENTRAL	2,577	133	111	158	645	897	598	35
Minnesota	501	19	19	33	119	186	125	-
Iowa	186	1	2	13	54	84	31	1
Missouri	1,252	84	49	58	307	436	294	24
North Dakota	77	7	15	12	8	18	17	-
South Dakota	120	8	16	14	30	22	30	-
Nebraska	168	3	5	11	50	58	36	5
Kansas	273	11	5	17	77	93	65	5
SOUTH ATLANTIC	8,891	557	564	789	2,618	2,906	1,338	119
Delaware	179	18	13	17	49	59	23	-
Maryland	1,350	96	75	131	413	401	220	14
District of Columbia	607	80	106	40	162	159	46	14
Virginia	1,391[3]	32	46	125	353	603	183	49
West Virginia	593	17	28	59	170	183	125	11
North Carolina	1,344	74	64	120	404	433	249	-
South Carolina	799	58	65	97	260	207	109	3
Georgia	1,189	93	103	97	312	378	189	17
Florida	1,439	89	64	103	495	483	194	11
EAST SOUTH CENTRAL	4,719	246	291	445	1,208	1,453	1,049	27
Kentucky	1,316	59	74	119	354	400	301	9
Tennessee	1,585	103	127	131	379	474	371	-
Alabama	1,164	49	57	111	304	380	250	13
Mississippi	654	35	33	84	171	199	127	5
WEST SOUTH CENTRAL	4,677	308	271	467	1,301	1,492	771	67
Arkansas	660	45	83	47	133	179	157	16
Louisiana	1,060	64	52	95	305	374	157	13
Oklahoma	513	11	7	49	139	178	125	4
Texas	2,444	188	129	276	724	761	332	34
MOUNTAIN	1,777	117	201	181	429	513	296	40
Montana	116	12	14	8	22	28	27	5
Idaho	82	-	4	17	18	25	14	4
Wyoming	29	2	3	2	6	10	4	2
Colorado	294	12	16	28	86	83	55	14
New Mexico	330	35	49	38	77	72	51	8
Arizona	703	49	80	67	182	218	107	-
Utah	47	-	2	3	13	20	9	-
Nevada	176	7	33	18	25	57	29	7
PACIFIC	6,721	414	385	612	1,880	2,228	1,192	10
Washington	655	37	48	45	142	255	122	6
Oregon	417	10	22	33	104	170	76	2
California	5,032	315	249	462	1,464	1,628	914	-
Alaska	323	45	59	52	87	54	25	1
Hawaii	294	7	7	20	83	121	55	1
Puerto Rico	1,816	229	292	267	418	382	202	26

1. Provisional.
2. Wisconsin. The 64 cases reported for age under 15 years have been allocated in equal numbers to age under 5 years and 5-14 years.
3. Does not include 371 cases reported by the State of Virginia as active primary infections, since they do not meet the criteria for active primary cases.

TABLE 7. NEWLY REPORTED CASES OF VENEREAL DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE; AGE; AND SEX, BY RACE (Civilian Cases Only), 1962

AREA	SYPHILIS TOTAL	SYPHILIS PRIMARY & SECONDARY	GONORRHEA	CHANCROID	OTHER[1]
UNITED STATES	126,245	21,067	263,708	1,344	797
NEW ENGLAND	2,988	551	5,165	8	8
Maine	52	10	221	-	-
New Hampshire	107	12	155	-	-
Vermont	7	2	100	-	-
Massachusetts	1,712	341	2,699	-	7
Rhode Island	339	27	185	2	-
Connecticut	771	159	1,805	6	1
MIDDLE ATLANTIC	39,951	6,142	34,119	119	82
New York	22,974	3,974	24,229	79	60
New Jersey	6,307	1,202	3,569	18	14
Pennsylvania	10,670	966	6,321	22	8
EAST NORTH CENTRAL	17,259	1,785	51,476	108	34
Ohio	3,635	343	10,369	24	10
Indiana	1,477	95	3,376	2	4
Illinois	7,061	990	24,834	7	12
Michigan	4,331	316	11,654	75	8
Wisconsin	755	41	1,243	-	-
WEST NORTH CENTRAL	7,010	410	15,769	78	8
Minnesota	261	57	1,950	3	-
Iowa	865	46	1,336	5	1
Missouri	4,252	191	7,640	59	3
North Dakota	34	5	629	-	1
South Dakota	142	30	1,161	-	-
Nebraska	335	25	888	4	1
Kansas	1,121	56	2,165	7	2
SOUTH ATLANTIC	26,466	5,942	58,379	568	435
Delaware	775	40	856	6	2
Maryland	3,081	527	5,269	3	7
District of Columbia	2,147	718	8,177	20	171
Virginia	3,428	414	6,766	22	9
West Virginia	1,296	47	1,000	-	-
North Carolina	4,020	792	7,471	60	13
South Carolina	2,361	784	9,856	27	11
Georgia	3,354	988	10,076	288	98
Florida	6,004	1,632	8,908	142	124
EAST SOUTH CENTRAL	5,168	1,180	20,706	106	80
Kentucky	1,682	134	3,107	1	1
Tennessee	1,468	334	8,392	31	27
Alabama	1,433	575	3,932	29	37
Mississippi	585	137	5,275	45	15
WEST SOUTH CENTRAL	12,838	2,802	40,291	234	124
Arkansas	1,763	237	6,847	11	8
Louisiana	4,589	1,081	5,607	64	78
Oklahoma	1,659	160	4,110	2	4
Texas	4,827	1,324	23,727	157	34
MOUNTAIN	2,825	373	7,739	24	5
Montana	203	8	409	-	-
Idaho	22	4	537	-	-
Wyoming	39	3	105	-	1
Colorado	511	73	2,114	2	-
New Mexico	911	71	1,259	2	-
Arizona	819	134	2,395	19	4
Utah	123	8	409	-	-
Nevada	197	72	511	1	-
PACIFIC	11,740	1,882	30,064	99	21
Washington	428	44	2,492	7	-
Oregon	550	47	1,234	5	2
California	10,586	1,770	25,590	85	19
Alaska	68	5	615	-	-
Hawaii	108	16	133	2	-
Puerto Rico	1,056	477	2,423	23	3

1. Granuloma inguinale and Lymphogranuloma venereum.

AGE DISTRIBUTION		
Age Group	Syphilis, Primary & Secondary	Gonorrhea
0-14	265	3,881
15-19	3,587	51,679
20-24	6,063	91,588
25-29	4,184	53,295
30-39	4,583	46,153
40-49	1,621	12,816
50+	764	4,296
Total	21,067	263,708

DISTRIBUTION by SEX by RACE		
Syphilis Cases, Total		
	White	Nonwhite
Male	31,935	37,613
Female	21,958	34,739
Total	53,893	72,352
Syphilis, Primary & Secondary		
Male	4,766	8,808
Female	1,167	6,326
Total	5,933	15,134
Gonorrhea		
Male	52,046	139,509
Female	20,057	52,096
Total	72,103	191,605

TABLE 8. RABIES IN MAN AND ANIMALS, BY STATE, BY TYPE OF ANIMAL, UNITED STATES, 1962

FROM REPORTS TO THE NATIONAL RABIES SURVEILLANCE PROGRAM, CDC-PHS

Human Rabies in the United States, 1962

Locality	Age	Sex	Biting Animal	Site of Wound	Incubation Period	Duration of Illness	Date of Death
Texas	4	M	Probably Dog	Unknown	Unknown	11 days	July 24, 1962
Idaho	11	M	Possibly Bat	Cheek	3 or 4 wks	4 days	Oct. 8, 1962

	Rabies in Animals by Type of Animal Reported Through Surveillance Program									State Report, Notifiable Diseases
AREA	Dog	Cattle	Other Domestic	Fox	Skunk	Bat	Raccoon	Other Wild	Total Confirmed	Total Cases
UNITED STATES	561	546	296	594	1,449	157	62	36	3,704[1]	3,732
NEW ENGLAND										
Maine	-	-	-	1	-	-	-	-	1	1
Massachusetts	-	-	-	-	-	3	-	-	3	3
MIDDLE ATLANTIC										
New York	7	37	6	44	3	8	1	1	107	107
New Jersey	-	-	-	-	-	9	1	-	10	10
Pennsylvania	6	24	6	14	4	1	2	1	58	58
EAST NORTH CENTRAL										
Ohio	16	11	13	30	310	3	1	2	386	379
Indiana	96	17	11	33	38	-	1	-	196	197
Illinois	6	26	12	9	73	1	3	3	133	158
Michigan	4	5	6	2	27	4	-	-	48	48
Wisconsin	7	4	13	2	11	6	-	-	43	41
WEST NORTH CENTRAL										
Minnesota	22	30	15	2	160	3	2	3	237	244
Iowa	16	113	37	-	179	2	2	-	349	352
Missouri	38	35	12	20	57	-	-	1	163	163
North Dakota	1	11	7	1	31	-	1	-	52	52
South Dakota	8	33	17	-	55	-	1	2	116	109
Nebraska	-	6	4	-	14	-	2	-	26	26
Kansas	-	1	-	-	4	-	-	-	5	7
SOUTH ATLANTIC										
Maryland	1	-	1	1	-	-	-	-	3	3
Virginia	9	15	6	99	-	2	-	5	136	138
West Virginia	37	16	25	66	2	1	-	-	147	151
North Carolina	-	-	-	1	-	-	-	-	1	1
Georgia	3	-	-	2	1	5	1	-	12	12
Florida	5	-	6	4	3	14	39	1	72	72
EAST SOUTH CENTRAL										
Kentucky	67	18	13	41	3	1	-	-	143	143
Tennessee	19	53	11	110	17	3	-	-	213	213
Alabama	18	2	5	5	-	-	-	1	31	31
WEST SOUTH CENTRAL										
Arkansas	7	9	6	25	3	-	1	-	51	70
Louisiana	10	2	-	13	-	1	-	-	26	26
Oklahoma	3	9	4	14	-	1	-	2	33	32
Texas	93	54	45	38	259	31	3	4	530[1]	530
MOUNTAIN										
Montana	-	-	-	-	-	1	-	-	1	1
Idaho	-	-	-	-	-	1	-	-	1	1
Colorado	-	-	-	-	-	4	-	-	4	4
New Mexico	4	2	1	-	5	1	-	-	13	13
Arizona	7	1	3	2	1	6	-	6	26	26
Utah	-	-	-	1	-	-	-	-	1	-
Nevada	-	-	-	1	-	-	-	-	1	-
PACIFIC										
Oregon	-	-	-	-	-	17	-	-	17	17
California	47	12	11	4	189	28	1	2	294	293
Alaska	4	-	-	9	-	-	-	2	15	-
Puerto Rico	4	1	3	-	-	-	-	13	21	21

1. Includes 3 unknown by species.

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962

(A) DIPHTHERIA

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES	7	101	135	88	26	8		68			11	444
NEW ENGLAND	-	-	-	-	-	-	2	-	-	1	-	3
Maine	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	-	-	-	-	1	-	-	-	-	1
Rhode Island	-	-	-	-	-	-	-	-	-	1	-	1
Connecticut	-	-	-	-	-	-	1	-	-	-	-	1
MIDDLE ATLANTIC	1	2	6	8	1	-	1	1	-	-	-	20
New York	-	2	6	8	-	-	-	-	-	-	-	16
New Jersey	1	-	-	-	-	-	-	1	-	-	-	2
Pennsylvania	-	-	-	-	1	-	1	-	-	-	-	2
EAST NORTH CENTRAL	-	2	4	2	1	1	2	-	1	1	-	14
Ohio	-	-	-	-	-	-	-	-	-	1	-	1
Indiana	-	-	-	1	1	1	1	-	-	-	-	4
Illinois	-	1	2	1	-	-	-	-	-	-	-	4
Michigan	-	1	2	-	-	-	-	-	1	-	-	4
Wisconsin	-	-	-	-	-	-	1	-	-	-	-	1
WEST NORTH CENTRAL	1	11	27	17	8	2	5	4	8	16	3	102
Minnesota	-	3	11	3	1	-	1	2	2	6	-	29
Iowa	-	3	5	6	-	-	-	1	-	-	-	15
Missouri	-	3	-	-	-	-	-	-	1	1	-	5
North Dakota	-	-	2	4	2	-	-	-	1	-	-	9
South Dakota	-	1	5	1	2	-	2	-	2	6	3	22
Nebraska	1	1	4	3	3	2	2	1	1	3	-	21
Kansas	-	-	-	-	-	-	-	-	1	-	-	1
SOUTH ATLANTIC	1	39	39	31	12	5	1	3	2	1	-	134
Delaware	-	-	1	-	-	-	-	-	-	-	-	1
Maryland	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	1	-	-	-	-	-	-	-	-	-	-	1
Virginia	-	4	3	4	4	1	-	1	1	-	-	18
West Virginia	-	-	-	1	-	1	-	-	-	-	-	2
North Carolina	-	2	5	1	1	1	-	1	-	-	-	11
South Carolina	-	3	5	-	1	-	1	-	-	-	-	10
Georgia	-	20	11	11	2	-	-	1	1	1	-	47
Florida	-	10	14	14	4	2	-	-	-	-	-	44
EAST SOUTH CENTRAL	2	9	10	9	-	-	1	2	-	-	-	33
Kentucky	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	-	1	-	1	-	-	1	1	-	-	-	4
Alabama	2	4	8	6	-	-	-	-	-	-	-	20
Mississippi	-	4	2	2	-	-	-	1	-	-	-	9
WEST SOUTH CENTRAL	2	34	40	20	4	-		12			6	118
Arkansas	1	8	5	4	2	-	-	-	-	-	-	20
Louisiana	-	4	3	2	-	-	-	1	-	-	-	10
Oklahoma	-	2	-	-	2	-	-	1	-	1	2	8
Texas	1	20	32	14	-	-		9			4	80
MOUNTAIN	-	2	5	1	-	-	1	-	-	1	2	12
Montana	-	-	3	1	-	-	-	-	-	-	2	6
Idaho	-	-	-	-	-	-	-	-	-	1	-	1
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	-	2	2	-	-	-	1	-	-	-	-	5
Arizona	-	-	-	-	-	-	-	-	-	-	-	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	-	2	4	-	-	-		2			-	8
Washington	-	-	-	-	-	-	-	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-
California	-	2	4	-	-	-	-	-	-	-	-	6
Alaska	-	-	-	-	-	-		2			-	2
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	3	18	10	4	8	5	1	3	2	2	-	56

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued

(B) ENCEPHALITIS, TOTAL, ACUTE INFECTIOUS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2,094
NEW ENGLAND	5	23	43	16	5	2	-	7	-	3	8	112
Maine	2	1	3	1	1	-	-	-	-	-	1	9
New Hampshire	-	2	1	-	-	-	-	-	-	-	-	3
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	1	9	15	1	1	-	-	1	-	2	1	31
Rhode Island	1	7	14	9	1	-	-	4	-	-	4	40
Connecticut	1	4	10	5	2	2	-	2	-	1	2	29
MIDDLE ATLANTIC	33	105	123	60	31	26	.....	114	.....		1	493
New York	26	51	45	23	16	20	.....	73	.....		1	255
New Jersey	6	25	35	21	7	3	3	5	5	10	-	120
Pennsylvania	1	29	43	16	8	3	2	2	4	10	-	118
EAST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	294
Ohio	9	29	65	21	6	1	1	1	1	1	4	139
Indiana	4	12	14	7	3	2	1	4	4	3	2	56
Illinois	5	16	6	4	2	3	3	3	4	1	1	48
Michigan	.....	.....	.....	.....	age distribution not available	.....	.....	.....	.....	.....	.....	45
Wisconsin	1	-	-	-	-	-	-	-	-	-	5	6[1]
WEST NORTH CENTRAL	3	17	12	13	12	6	4	8	5	9	3	92
Minnesota	2	2	-	2	4	-	1	1	3	-	-	15
Iowa	-	5	5	4	-	-	1	2	1	1	3	22
Missouri	-	1	5	-	-	2	1	-	1	1	-	11
North Dakota	-	4	1	1	2	-	-	2	-	-	-	10
South Dakota	-	-	-	-	-	1	-	-	-	2	-	3
Nebraska	-	-	-	2	-	-	-	1	-	1	-	4
Kansas	1	5	1	4	6	3	1	2	-	4	-	27
SOUTH ATLANTIC	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	428
Delaware	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	3	9	17	4	3	2	2	2	1	-	-	43[2]
District of Columbia	1	3	5	-	-	-	-	-	-	-	-	9
Virginia	-	2	4	2	4	1	-	-	4	6	-	23
West Virginia	-	1	5	-	1	1	-	-	-	1	-	9
North Carolina	3	8	14	7	3	2	1	-	1	3	1	43
South Carolina	-	-	5	1	3	-	-	-	1	-	-	10
Georgia	1	2	6	4	-	-	-	2	-	2	9	26[1]
Florida	3	13	28	12	9	9	12	19	27	122	11	265
EAST SOUTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	80
Kentucky	-	1	2	1	1	2	-	-	-	1	4	12[1]
Tennessee	3	8	9	1	4	1	-	3	1	3	-	33
Alabama	-	-	1	-	-	-	-	-	-	-	-	1
Mississippi	2	10	6	1	5	2	-	2	1	3	2	34
WEST SOUTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	133
Arkansas	-	1	4	4	1	1	4	4	3	1	-	23
Louisiana	.....	.....	Encephalitis not specified as arthropod-borne not notifiable	.....	.....	.....	.....	.....	.....	.....	.....	
Oklahoma	1	4	2	2	1	1	-	2	-	2	-	15
Texas	7	18	21	13	9	8	.....	18	.....		1	95
MOUNTAIN	2	3	10	1	2	1	3	2	1	2	8	35
Montana	-	-	2	-	-	-	-	1	1	-	2	6
Idaho	-	1	1	-	-	-	-	-	-	-	-	2
Wyoming	1	1	-	-	-	-	1	-	-	-	-	3
Colorado	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	-	-	-	-	-	-	-	1	-	-	2	3
Arizona	1	1	2	1	1	1	2	-	-	1	1	11
Utah	-	-	5	-	1	-	-	-	-	1	1	8
Nevada	-	-	-	-	-	-	-	-	-	-	2	2
PACIFIC	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	427
Washington	-	-	-	-	-	-	-	-	-	-	-	-
Oregon	2	-	-	2	2	-	1	-	-	-	19	26[1]
California	21	82	141	51	22	15	13	23	11	20	-	399
Alaska	-	-	-	1	-	-	-	-	-	-	-	1
Hawaii	-	-	-	-	-	1	-	-	-	-	-	1
Puerto Rico	-	-	-	-	-	-	-	-	-	-	-	-

1. Age distribution data incomplete.
2. Includes Aseptic Meningitis.

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued

(C) HEPATITIS (infectious and serum)

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	53,016
NEW ENGLAND	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3,837
Maine	-	45	330	242	123	93	84	139	75	54	16	1,201
New Hampshire	(.....120.....)						(.....119.....)				140	379[1]
Vermont	-	4	6	17	10	6	4	8	4	6	21	86[1]
Massachusetts	1	53	350	325	161	145	130	242	84	97	28	1,616
Rhode Island	-	4	15	27	14	15	21	23	14	16	8	157
Connecticut	-	6	41	55	56	52	31	58	39	29	31	398
MIDDLE ATLANTIC	11	209	1,562	1,450	1,136	912	.....3,043.....				32	8,355
New York	8	105	752	638	598	514	.....1,683.....				32	4,330
New Jersey	2	26	240	248	189	184	146	202	114	137	-	1,488
Pennsylvania	1	78	570	564	349	214	192	280	140	149	-	2,537
EAST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	10,384
Ohio	1	144	786	676	375	265	241	338	170	160	184	3,340
Indiana	3	45	308	254	139	88	83	123	43	29	8	1,123
Illinois	6	90	443	379	259	229	186	295	142	170	58	2,257
Michigan	13	143	750	633	327	297	263	418	171	169	96	3,280
Wisconsin	1	6	34	45	41	18	25	45	19	19	131	384[1]
WEST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	3,510
Minnesota	-	39	165	122	97	56	74	115	52	55	85	860
Iowa	(.....513.....)						(.....359.....)				106	978
Missouri	1	34	167	135	85	70	44	62	35	41	75	749
North Dakota	1	16	42	33	17	10	12	17	17	14	1	180
South Dakota	1	4	26	18	8	10	9	11	2	16	6	111
Nebraska	-	8	17	9	8	9	17	23	5	11	117	224[1]
Kansas	-	20	82	73	45	41	33	56	21	24	13	408
SOUTH ATLANTIC	8	200	1,493	1,274	845	623	433	.....1,187.....			254	6,317
Delaware	-	2	6	6	13	11	5	.....25.....			-	68
Maryland	2	25	166	145	86	74	74	90	39	55	7	763
District of Columbia	-	3	34	31	19	22	14	16	7	8	-	154
Virginia	1	36	271	202	133	121	80	102	61	50	119	1,176
West Virginia	-	30	307	229	96	48	23	54	24	34	64	909
North Carolina	-	54	471	441	294	178	119	126	43	57	2	1,785
South Carolina	-	17	50	55	42	32	16	30	12	6	21	281
Georgia	2	6	61	48	30	38	18	22	13	25	9	272
Florida	3	27	127	117	132	99	84	124	75	89	32	909
EAST SOUTH CENTRAL	7	266	1,744	1,683	792	483	.....1,283.....				138	6,396
Kentucky	1	104	730	706	254	144	115	145	69	78	59	2,405
Tennessee	5	100	596	549	254	148	117	126	67	77	-	2,039
Alabama	-	39	246	246	147	80	.....255.....				63	1,076
Mississippi	1	23	172	182	137	111	67	66	42	59	16	876
WEST SOUTH CENTRAL	10	215	805	649	467	358	.....1,023.....				201	3,728
Arkansas	-	24	121	115	89	51	55	39	25	52	-	571
Louisiana	-	30	122	109	83	61	47	49	25	21	8	555
Oklahoma	1	8	45	38	23	24	17	14	6	10	25	211
Texas	9	153	517	387	272	222	.....663.....				168	2,391
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2,833
Montana	2	53	51	41	12	19	22	27	12	18	24	281
Idaho	2	16	45	40	41	33	38	46	17	29	56	363
Wyoming	-	4	24	14	7	13	7	8	2	2	16	97
Colorado	.....age distribution not available.....											667
New Mexico	1	19	83	45	27	35	27	19	8	14	19	297
Arizona	-	39	(.....208.....)		(.....211.....)				(.....63.....)		259	780[1]
Utah	3	11	65	65	35	29	30	35	9	12	26	320
Nevada	.....age distribution not available.....											28
PACIFIC	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	7,656
Washington	2	50	213	240	168	154	135	193	92	76	179	1,502
Oregon	1	35	176	142	104	88	79	112	71	73	3	884
California	10	164	714	526	512	721	.....2,043.....				59	4,749
Alaska	3	29	92	71	(.....31.....)		(.....109.....)				125	460[1]
Hawaii	1	-	1	3	6	19	9	10	10	1	1	61
Puerto Rico	1	124	366	227	121	73	52	65	41	44	-	1,114

1. Age distribution data incomplete.

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued

(D) MENINGOCOCCAL INFECTIONS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	2,150
NEW ENGLAND	23	44	19	7	9	3	1	1	2	7	13	129
Maine	4	14	2	3	-	-	-	-	-	-	-	23
New Hampshire	-	1	-	1	-	-	-	-	-	-	3	5[1]
Vermont	1	2	1	-	-	-	-	-	-	-	-	4
Massachusetts	12	13	10	3	7	2	-	-	-	4	1	52
Rhode Island	2	4	2	-	1	1	1	-	-	-	2	13
Connecticut	4	10	4	-	1	-	-	1	2	3	7	32
MIDDLE ATLANTIC	75	107	44	29	28	24	..... 70				1	378
New York	31	46	19	12	14	6	..... 35				1	164
New Jersey	13	19	8	7	10	15	2	2	3	9	-	88
Pennsylvania	31	42	17	10	4	3	-	2	6	11	-	126
EAST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	398
Ohio	22	34	13	5	5	4	4	1	1	3	5	97
Indiana	10	11	5	4	2	3	-	-	1	-	-	36
Illinois	21	47	11	6	2	2	1	1	4	4	-	99
Michigan	..... age distribution not available											139
Wisconsin	3	2	-	-	-	-	-	-	-	-	22	27[1]
WEST NORTH CENTRAL	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	118
Minnesota	7	12	2	1	2	-	1	1	1	1	1	29
Iowa	3	7	-	1	-	-	-	-	-	-	1	12
Missouri	4	10	4	-	4	4	1	-	-	-	2	29
North Dakota	1	3	1	1	1	1	-	-	-	1	-	9
South Dakota	1	5	1	-	-	1	-	-	-	-	-	8
Nebraska	-	2	2	3	2	1	-	1	-	-	7	18[1]
Kansas	3	5	2	1	2	-	-	-	-	-	-	13
SOUTH ATLANTIC	74	102	49	29	8	10	4	6	7	17	9	315
Delaware	3	4	1	-	-	-	-	-	-	-	-	8
Maryland	6	7	6	3	1	1	3	-	1	-	1	29
District of Columbia	2	1	2	-	1	-	1	-	-	-	-	7
Virginia	16	28	10	8	1	-	-	3	2	6	4	78
West Virginia	8	7	3	-	-	-	-	-	-	-	1	19
North Carolina	17	20	13	11	-	6	-	-	2	3	1	73
South Carolina	4	7	4	1	-	2	-	-	-	2	2	22
Georgia	10	12	4	1	2	-	-	1	1	1	-	32
Florida	8	16	6	5	3	1	-	2	1	5	-	47
EAST SOUTH CENTRAL	28	48	22	11	9	3	4	4	1	6	6	142
Kentucky	5	18	7	1	1	1	1	-	-	2	3	39
Tennessee	17	17	7	7	5	2	1	1	1	1	-	59
Alabama	1	8	5	1	1	-	1	2	-	-	2	21
Mississippi	5	5	3	2	2	-	1	1	-	3	1	23
WEST SOUTH CENTRAL	45	73	27	11	13	6	..... 13				3	191
Arkansas	6	11	1	2	1	1	1	-	-	-	-	23
Louisiana	18	29	13	5	4	3	-	-	1	3	1	77
Oklahoma	2	8	2	3	1	-	-	-	2	-	-	18
Texas	19	25	11	1	7	2	..... 6				2	73
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	78
Montana	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	4	10	2	1	2	-	-	-	-	-	1	20
Wyoming	2	-	-	1	1	-	-	-	-	-	1	5
Colorado	..... age distribution not available											14
New Mexico	-	5	1	-	1	1	1	-	-	-	-	9
Arizona	3	3	3	1	1	-	1	-	-	2	1	15
Utah	2	1	-	-	-	-	-	-	-	-	-	3
Nevada	..... age distribution not available											12
PACIFIC	98	106	40	16	54	42	..... 44				1	401
Washington	7	12	4	2	1	-	-	-	2	1	-	29
Oregon	5	8	6	1	1	-	-	-	1	3	-	25
California	77	84	29	13	52	42	..... 37				-	334
Alaska	4	2	1	-	-	-	-	-	-	-	-	7
Hawaii	5	-	-	-	-	-	-	-	-	-	1	6
Puerto Rico	2	1	-	-	3	2	-	-	-	-	-	8

1. Age distribution data incomplete.

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued

(E) PARALYTIC POLIOMYELITIS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES	58	302	159	80	36	28	..... 99				-	762
NEW ENGLAND	2	3	4	1	-	-	1	-	1	1	-	13
Maine	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	1	1	-	-	-	1	-	-	-	-	3
Vermont	-	-	1	-	-	-	-	-	-	-	-	1
Massachusetts	1	1	2	1	-	-	-	-	1	1	-	7
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	1	1	-	-	-	-	-	-	-	-	-	2
MIDDLE ATLANTIC	5	16	16	8	9	7	8	6	3	1	-	79
New York	4	10	10	4	6	7	5	3	3	1	-	53
New Jersey	1	2	1	1	-	-	2	-	-	-	-	7
Pennsylvania	-	4	5	3	3	-	1	3	-	-	-	19
EAST NORTH CENTRAL	5	50	29	15	4	7	5	7	-	2	-	124
Ohio	2	7	4	-	1	1	-	1	-	2	-	18
Indiana	-	8	5	7	1	-	3	-	-	-	-	24
Illinois	1	28	15	3	1	2	2	2	-	-	-	54
Michigan	-	6	4	2	1	3	-	3	-	-	-	19
Wisconsin	2	1	1	3	-	1	-	1	-	-	-	9
WEST NORTH CENTRAL	-	4	8	6	2	2	1	6	1	5	-	35
Minnesota	-	-	2	2	1	-	-	2	-	-	-	7
Iowa	-	-	-	2	-	1	-	1	-	-	-	4
Missouri	-	3	4	-	-	1	1	-	-	1	-	10
North Dakota	-	1	-	1	-	-	-	-	1	-	-	3
South Dakota	-	-	-	-	-	-	-	2	-	-	-	2
Nebraska	-	-	2	1	1	-	-	1	-	4	-	9
Kansas	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH ATLANTIC	2	37	19	9	2	2	3	2	1	-	-	77
Delaware	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	-	2	-	-	-	-	-	-	-	-	2
District of Columbia	-	1	-	-	-	-	-	-	-	-	-	1
Virginia	-	5	1	1	-	1	-	-	-	-	-	8
West Virginia	1	5	9	2	1	-	-	-	-	-	-	18
North Carolina	-	6	3	2	1	1	-	-	-	-	-	13
South Carolina	-	4	1	1	-	-	-	1	-	-	-	7
Georgia	1	10	2	1	-	-	3	-	1	-	-	18
Florida	-	6	1	2	-	-	-	1	-	-	-	10
EAST SOUTH CENTRAL	6	42	8	8	3	-	2	2	-	1	-	72
Kentucky	1	12	3	3	1	-	-	-	-	-	-	20
Tennessee	-	3	2	2	-	-	1	-	-	-	-	8
Alabama	1	15	2	1	-	-	-	1	-	1	-	21
Mississippi	4	12	1	2	2	-	1	1	-	-	-	23
WEST SOUTH CENTRAL	36	116	54	22	12	6	..... 21				-	267
Arkansas	4	5	4	3	1	1	1	2	-	-	-	21
Louisiana	5	15	7	1	1	1	1	-	-	-	-	31
Oklahoma	-	14	6	3	3	1	-	2	-	-	-	29
Texas	27	82	37	15	7	3	..... 15				-	186
MOUNTAIN	1	5	2	3	1	1	-	-	-	-	-	13
Montana	-	-	-	-	1	-	-	-	-	-	-	1
Idaho	-	-	-	1	-	-	-	-	-	-	-	1
Wyoming	-	1	-	-	-	-	-	-	-	-	-	1
Colorado	1	-	1	1	-	1	-	-	-	-	-	4
New Mexico	-	2	-	-	-	-	-	-	-	-	-	2
Arizona	-	2	1	-	-	-	-	-	-	-	-	3
Utah	-	-	-	1	-	-	-	-	-	-	-	1
Nevada	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	1	29	19	8	3	3	7	7	3	2	-	82
Washington	-	3	2	-	-	-	1	-	-	-	-	6
Oregon	-	-	1	-	-	-	-	1	1	1	-	4
California	1	26	16	8	3	3	6	6	2	1	-	72
Alaska	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	2	7	3	1	-	-	-	-	-	-	-	13

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued

(F) TETANUS

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	322
NEW ENGLAND	-	-	-	-	1	1	-	1	-	4	-	7
Maine	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	-	-	1	-	-	1	-	2	-	4
Rhode Island	-	-	-	-	-	-	-	-	-	1	-	1
Connecticut	-	-	-	-	-	1	-	-	-	1	-	2
MIDDLE ATLANTIC	-	-	1	2	1	2	17				-	23
New York	-	-	-	-	1	-	14				-	15
New Jersey	-	-	-	-	-	1	-	-	-	-	-	1
Pennsylvania	-	-	1	2	-	1	-	-	-	3	-	7
EAST NORTH CENTRAL	1	4	4	4	1	1	1	1	5	16	4	42
Ohio	-	1	1	1	-	-	-	-	-	2	-	5
Indiana	-	1	2	3	-	-	-	-	2	5	1	14
Illinois	1	1	1	-	-	1	-	1	2	6	-	13
Michigan	-	1	-	-	1	-	1	-	1	2	1	7
Wisconsin	-	-	-	-	-	-	-	-	-	1	2	3
WEST NORTH CENTRAL	-	2	4	1	-	-	-	3	1	17	-	28
Minnesota	-	1	1	-	-	-	-	2	1	4	-	9
Iowa	-	1	-	-	-	-	-	-	-	4	-	5
Missouri	-	-	-	1	-	-	-	-	-	3	-	4
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	-	-	1	-	-	-	-	1	-	-	-	2
Kansas	-	-	2	-	-	-	-	-	-	6	-	8
SOUTH ATLANTIC	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	66
Delaware	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1	-	-	-	-	-	1	-	-	-	-	2
District of Columbia	-	-	-	-	-	-	-	-	-	1	-	1
Virginia	-	-	-	1	1	-	-	1	-	1	-	4
West Virginia	age distribution not available											1
North Carolina	-	-	-	1	1	1	1	1	2	4	-	11
South Carolina	2	1	-	1	-	-	-	-	-	-	-	4
Georgia	4	1	1	1	1	-	-	1	1	4	-	14
Florida	3	3	1	3	-	-	1	1	4	13	-	29
EAST SOUTH CENTRAL	8	3	4	2	5	2	1	2	1	22	1	51
Kentucky	1	-	1	-	2	-	-	-	-	4	-	8
Tennessee	1	-	-	-	3	-	1	-	-	8	-	13
Alabama	-	1	2	1	-	2	-	1	1	7	1	16
Mississippi	6	2	1	1	-	-	-	1	-	3	-	14
WEST SOUTH CENTRAL	19	2	7	3	3	2	33				2	71
Arkansas	3	-	1	1	1	-	-	-	3	2	-	11
Louisiana	5	-	1	-	1	-	-	1	2	11	1	22
Oklahoma	1	-	1	-	-	-	-	-	-	2	-	4
Texas	10	2	4	2	1	2	12				1	34
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	8
Montana	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	age distribution not available											2
New Mexico	-	-	-	-	1	-	-	-	-	-	-	1
Arizona	1	-	-	-	-	-	-	-	-	-	2	3
Utah	-	-	1	-	-	-	-	-	-	1	-	2
Nevada	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	-	2	4	1	-	1	1	3	2	12	-	26
Washington	-	-	-	-	-	-	-	1	-	2	-	3
Oregon	-	-	-	-	-	-	-	-	-	-	-	-
California	-	2	3	1	-	1	1	2	2	9	-	21
Alaska	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	1	-	-	-	-	-	-	1	-	2
Puerto Rico	10	17	21	17	6	1	1	5	7	21	3	109

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1962 — Continued

(G) TYPHOID FEVER

AREA	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk	Total
UNITED STATES	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	608
NEW ENGLAND	-	-	3	-	4	1	-	1	2	-	-	11
Maine	-	-	1	-	-	-	-	-	1	-	-	2
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	2	-	3	1	-	1	1	-	-	8
Rhode Island	-	-	-	-	1	-	-	-	-	-	-	1
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	1	8	9	10	5	12	20				-	65
New York	-	4	4	4	4	9	12				-	37
New Jersey	1	-	2	3	-	1	-	2	-	1	-	10
Pennsylvania	-	4	3	3	1	2	1	1	1	2	-	18
EAST NORTH CENTRAL	1	14	16	12	8	4	6	10	8	13	-	92
Ohio	-	5	3	7	5	3	2	8	4	4	-	41
Indiana	-	1	4	1	1	1	1	-	2	1	-	12
Illinois	-	3	4	4	1	-	1	1	2	3	-	19
Michigan	1	3	3	-	1	-	1	1	-	2	-	12
Wisconsin	-	2	2	-	-	-	1	-	-	3	-	8
WEST NORTH CENTRAL	2	2	7	5	4	6	2	2	2	2	-	34
Minnesota	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	-	-	-	-	-	2	-	-	-	1	-	3
Missouri	2	2	4	4	4	4	2	1	2	-	-	25
North Dakota	-	-	1	1	-	-	-	-	-	1	-	3
South Dakota	-	-	1	-	-	-	-	-	-	-	-	1
Nebraska	-	-	1	-	-	-	-	1	-	-	-	2
Kansas	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH ATLANTIC	3	22	16	20	6	5	1	8	2	18	5	106
Delaware	1	-	-	-	-	-	-	-	-	1	-	2
Maryland	-	-	2	-	-	-	-	1	-	-	-	3
District of Columbia	-	2	2	2	-	-	-	-	-	4	-	10
Virginia	1	5	1	2	1	1	-	1	1	3	1	17
West Virginia	-	1	1	3	-	-	-	-	-	1	-	6
North Carolina	1	-	3	3	2	1	-	1	-	2	-	13
South Carolina	-	3	1	1	-	2	-	1	-	1	-	9
Georgia	-	6	3	3	-	1	-	2	-	3	3	21
Florida	-	5	3	6	3	-	1	2	1	3	1	25
EAST SOUTH CENTRAL	1	16	13	3	3	2	2	11	4	10	1	66
Kentucky	-	7	4	-	-	-	-	3	-	3	-	17
Tennessee	-	5	7	1	2	-	1	6	4	4	-	30
Alabama	-	3	2	1	1	1	1	1	-	1	1	12
Mississippi	1	1	-	1	-	1	-	1	-	2	-	7
WEST SOUTH CENTRAL	1	17	27	20	6	4	42				5	122
Arkansas	-	2	8	5	1	-	2	5	5	6	-	34
Louisiana	-	9	5	7	2	-	1	3	2	2	-	31
Oklahoma	-	-	3	2	-	-	1	-	1	-	-	7
Texas	1	6	11	6	3	4	14				5	50
MOUNTAIN	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	. . .	48
Montana	-	1	-	-	-	-	-	1	-	7	1	10
Idaho	-	-	-	-	-	-	-	-	-	1	-	1
Wyoming	-	-	-	1	-	-	1	-	-	-	-	2
Colorado	-	-	1	-	1	-	-	-	1	-	5	8[1]
New Mexico	-	3	2	1	-	-	1	3	1	2	1	14
Arizona	-	4	-	-	1	1	1	2	1	-	1	11
Utah	-	-	1	-	-	-	-	-	1	-	-	2
Nevada	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	1	17	9	9	4	8	4	3	3	5	1	64
Washington	-	2	-	-	-	-	-	-	-	1	1	4
Oregon	-	-	1	-	-	-	-	-	-	-	-	1
California	1	13	8	9	4	8	4	3	3	4	-	57
Alaska	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	2	-	-	-	-	-	-	-	-	-	2
Puerto Rico	-	2	4	3	3	2	2	1	-	1	-	18

1. Age distribution data incomplete.

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1962

(A) ENCEPHALITIS, TOTAL ACUTE INFECTIOUS

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo Unk
UNITED STATES	2,094	139	123	173	175	154	154	169	280	276	186	108	123	34
NEW ENGLAND	112	12	10	13	9	10	12	10	13	5	5	7	6	-
Maine	9	3	1	1	-	-	-	1	2	-	-	-	1	-
New Hampshire	3	-	-	-	-	-	3	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	31	4	5	3	4	3	4	4	1	1	2	-	-	-
Rhode Island	40	3	2	5	2	5	3	3	5	2	1	5	4	-
Connecticut	29	2	2	4	3	2	2	2	5	2	2	2	1	-
MIDDLE ATLANTIC	493	54	27	42	39	46	39	38	34	53	45	44	31	1
New York	255	25	10	22	20	19	20	25	21	33	23	22	15	-
New Jersey	120	11	9	12	14	10	12	6	6	9	10	10	11	-
Pennsylvania	118	18	8	8	5	17	7	7	7	11	12	12	5	1
EAST NORTH CENTRAL	294	10	20	26	35	26	17	27	37	38	27	13	18	-
Ohio	139	6	5	7	18	7	5	16	28	20	15	5	7	-
Indiana	56	1	4	11	3	3	5	2	4	10	6	3	4	-
Illinois	48	1	6	5	3	9	1	4	1	5	4	4	5	-
Michigan	45	2	5	2	11	5	5	4	4	3	2	1	1	-
Wisconsin	6	-	-	1	-	2	1	1	-	-	-	-	1	-
WEST NORTH CENTRAL	92	7	6	6	4	6	10	18	11	10	7	2	5	-
Minnesota	15	4	-	2	2	1	-	2	2	2	-	-	-	-
Iowa	22	-	-	-	1	1	1	15	-	-	3	-	1	-
Missouri	11	-	3	-	-	-	1	-	2	2	1	-	2	-
North Dakota	10	-	-	1	1	2	1	-	2	-	2	1	-	-
South Dakota	3	-	-	-	-	1	2	-	-	-	-	-	-	-
Nebraska	4	1	-	-	-	-	1	-	-	2	-	-	-	-
Kansas	27	2	3	3	-	1	4	1	5	4	1	1	2	-
SOUTH ATLANTIC	428	19	21	16	25	10	23	21	128	97	43	6	18	1
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	43[1]	3	1	3	8	1	10	2	3	3	3	-	6	-
District of Columbia	9	2	1	1	2	-	1	-	1	-	1	-	-	-
Virginia	23	2	3	2	4	3	1	2	-	3	2	1	-	-
West Virginia	9	-	-	-	-	-	-	1	-	-	8	-	-	-
North Carolina	43	5	10	3	1	3	1	2	1	5	8	-	3	1
South Carolina	10	-	1	1	2	-	1	-	1	2	1	1	-	-
Georgia	26	2	2	-	2	1	-	2	2	13	-	-	2	-
Florida	265	5	3	6	6	2	9	12	120	71	20	4	7	-
EAST SOUTH CENTRAL	80	3	4	8	4	1	4	6	5	10	13	10	12	-
Kentucky	12	1	-	-	-	-	-	-	-	-	8	2	1	-
Tennessee	33	1	2	4	1	1	2	1	3	7	2	7	2	-
Alabama	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	34	-	2	4	3	-	2	5	2	3	3	1	9	-
WEST SOUTH CENTRAL	133	6	10	12	14	9	10	7	9	19	21	7	9	-
Arkansas	23	1	-	3	2	2	1	2	1	3	7	1	-	-
Louisiana	..... Encephalitis not specified as arthropod-borne not notifiable													
Oklahoma	15	2	2	2	-	1	3	2	1	1	1	-	-	-
Texas	95	3	8	7	12	6	6	3	7	15	13	6	9	-
MOUNTAIN	35	2	4	3	1	4	4	1	3	5	4	2	-	2
Montana	6	-	-	1	-	1	1	-	-	-	3	-	-	-
Idaho	2	-	-	-	-	-	-	-	-	2	-	-	-	-
Wyoming	3	-	-	-	1	1	-	-	-	-	-	1	-	-
Colorado	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	3	1	-	-	-	-	-	-	-	-	-	-	-	2
Arizona	11	-	3	2	-	-	1	1	1	2	1	-	-	-
Utah	8	-	1	-	-	2	2	-	1	1	-	1	-	-
Nevada	2	1	-	-	-	-	-	-	1	-	-	-	-	-
PACIFIC	427	26	21	47	44	42	35	41	40	39	21	17	24	30
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon	26	2	-	1	1	-	-	1	1	-	1	-	1	18
California	399	24	21	46	43	42	35	39	39	39	19	17	23	12
Alaska	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Hawaii	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Puerto Rico	-	-	-	-	-	-	-	-	-	-	-	-	-	-

1. Includes Aseptic Meningitis.

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1962 - Continued

(B) HEPATITIS (infectious and serum)

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo Unk
UNITED STATES	53,016	6,661	5,621	5,608	4,905	4,722	3,534	3,153	3,557	3,677	3,966	3,507	4,096	9
NEW ENGLAND	3,837	381	296	296	244	240	210	189	268	327	427	413	546	-
Maine	1,201	93	55	75	79	59	92	55	60	101	122	163	247	-
New Hampshire	379	31	35	51	16	26	18	4	28	32	73	19	46	-
Vermont	86	6	6	16	5	3	8	3	8	2	6	10	13	-
Massachusetts	1,616	184	144	119	105	104	66	88	112	151	186	174	183	-
Rhode Island	157	29	27	4	10	8	7	10	8	7	17	11	19	-
Connecticut	398	38	29	31	29	40	19	29	52	34	23	36	38	-
MIDDLE ATLANTIC	8,355	812	612	805	719	679	591	578	719	655	726	665	787	7
New York	4,330	415	293	400	345	332	325	315	364	357	399	376	409	-
New Jersey	1,488	173	125	181	128	118	109	99	116	101	116	111	104	7
Pennsylvania	2,537	224	194	224	246	229	157	164	239	197	211	178	274	-
EAST NORTH CENTRAL	10,384	1,400	1,270	1,196	1,185	976	625	624	579	627	691	578	632	1
Ohio	3,340	613	428	383	281	266	173	194	212	216	214	193	166	1
Indiana	1,123	84	150	131	211	118	87	47	32	53	65	41	104	-
Illinois	2,257	159	229	235	342	256	142	136	143	138	147	141	189	-
Michigan	3,280	466	437	424	325	307	204	216	162	184	219	179	157	-
Wisconsin	384	78	26	23	26	29	19	31	30	36	46	24	16	-
WEST NORTH CENTRAL	3,510	646	475	440	365	299	200	203	158	188	177	166	193	-
Minnesota	860	202	97	113	83	67	65	47	40	22	53	35	36	-
Iowa	978	199	178	115	85	101	63	56	25	54	44	29	29	-
Missouri	749	102	92	97	72	69	34	35	38	58	40	56	56	-
North Dakota	180	36	19	17	18	13	6	27	15	12	7	2	8	-
South Dakota	111	17	18	13	4	8	6	3	3	8	2	8	21	-
Nebraska	224	6	18	30	46	14	6	14	12	13	22	20	23	-
Kansas	408	84	53	55	57	27	20	21	25	21	9	16	20	-
SOUTH ATLANTIC	6,317	768	720	731	543	637	423	372	429	438	370	400	485	1
Delaware	68	7	5	4	5	2	3	5	4	4	6	7	16	-
Maryland	763	63	104	69	50	60	45	93	54	44	40	43	98	-
District of Columbia	154	12	21	11	8	18	9	9	13	11	8	7	27	-
Virginia	1,176	157	176	164	92	120	90	53	59	72	50	59	84	-
West Virginia	909	165	123	69	82	80	62	33	44	51	70	73	57	-
North Carolina	1,785	236	156	238	174	203	85	98	115	127	109	121	122	1
South Carolina	281	41	29	39	34	26	20	11	21	21	10	14	15	-
Georgia	272	20	26	28	24	29	28	16	23	24	18	18	18	-
Florida	909	67	80	109	74	99	81	54	96	84	59	58	48	-
EAST SOUTH CENTRAL	6,396	1,117	901	676	577	593	448	298	341	358	325	377	385	-
Kentucky	2,405	591	363	226	212	255	140	90	130	101	98	120	79	-
Tennessee	2,039	280	261	243	208	174	166	83	102	145	105	104	168	-
Alabama	1,076	142	167	97	75	119	79	70	52	69	56	97	53	-
Mississippi	876	104	110	110	82	45	63	55	57	43	66	56	85	-
WEST SOUTH CENTRAL	3,728	459	415	430	327	323	295	213	262	327	237	187	253	-
Arkansas	571	162	67	37	40	53	39	24	39	20	38	26	26	-
Louisiana	555	51	58	57	50	57	40	35	48	55	45	25	34	-
Oklahoma	211	26	34	29	14	18	6	9	7	8	13	18	29	-
Texas	2,391	220	256	307	223	195	210	145	168	244	141	118	164	-
MOUNTAIN	2,833	349	294	288	242	269	220	150	188	208	249	160	216	-
Montana	281	27	19	26	32	14	18	10	15	12	37	21	50	-
Idaho	363	51	45	43	42	40	27	20	32	22	12	19	10	-
Wyoming	97	6	3	5	14	7	7	6	12	8	9	15	5	-
Colorado	667	111	74	66	46	67	48	28	39	51	70	24	43	-
New Mexico	297	35	26	22	20	34	24	11	16	32	23	26	28	-
Arizona	780	87	75	81	68	88	59	47	53	64	68	27	63	-
Utah	320	27	52	42	18	18	31	26	19	18	26	27	16	-
Nevada	28	5	-	3	2	1	6	2	2	1	4	1	1	-
PACIFIC	7,656	729	638	746	703	706	522	526	613	549	764	561	599	-
Washington	1,502	115	99	114	142	121	116	114	165	136	134	99	147	-
Oregon	884	71	62	106	93	83	74	49	37	75	65	69	100	-
California	4,749	514	429	467	405	480	304	336	371	304	491	335	313	-
Alaska	460	26	43	53	58	17	24	23	33	29	67	54	33	-
Hawaii	61	3	5	6	5	5	4	4	7	5	7	4	6	-
Puerto Rico	1,114	32	59	128	139	118	68	62	99	93	120	56	140	-

TABLE II. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1962

AREA	ACTINO-MYCOSIS	ANIMAL BITES	ANKLYO-STOMIASIS (Hookworm)	CHICKENPOX	CONJUNCTI-VITIS (Pink Eye)	DERMATOPHY-TOSIS (Ringworm)	DIARRHEA OF NEWBORN	ERYSI-PELAS
NEW ENGLAND								
Maine	1	-	-	2,809	-	20	-	-
New Hampshire	-	41	-	708	-	-	-	1
Vermont	-	-	-	1,696	-	-	-	-
Massachusetts	-	17,022	-	16,359	-	-	-	-
Rhode Island	1	403	-	2,281	-	13	-	-
Connecticut	1	-	270	10,402	79	82	-	11
MIDDLE ATLANTIC								
New York	-	-	-	22,641	7	-	148	-
New Jersey	-	-	-	-	-	-	4	-
Pennsylvania	3	15,079	190	-	-	-	-	4
EAST NORTH CENTRAL								
Ohio	1	-	-	9,611	-	138	47	9
Indiana	-	8,337	1	4,386	1,078	142	-	12
Illinois	1	25,162	-	10,543	-	78	112	-
Michigan	-	25,166	4	12,850	366	2,043	355	32
Wisconsin	-	-	-	31,267	-	137	8	-
WEST NORTH CENTRAL								
Minnesota	-	3,498	1	118	-	26	9	16
Iowa	-	-	-	3,014	83	115	-	-
Missouri	-	2	-	1,024	11	259	2	1
North Dakota	-	-	-	2,435	779	77	-	17
South Dakota	-	-	-	71	-	-	-	-
Nebraska	-	-	-	57	-	-	-	-
Kansas	-	-	1	-	-	125	-	2
SOUTH ATLANTIC								
Delaware	1	-	-	479	1	-	-	-
Maryland	-	-	-	1,820	-	-	-	-
District of Columbia	-	-	-	321	14	4	36	1
Virginia	-	-	-	-	-	-	-	-
West Virginia	-	1,251	-	3,296	307	-	25	-
North Carolina	-	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-	-
Georgia	-	-	5,157	-	-	-	-	-
Florida	-	-	1,959	4,562	-	-	89	8
EAST SOUTH CENTRAL								
Kentucky	-	-	22	3,445	497	63	-	-
Tennessee	-	-	-	-	-	-	-	-
Alabama	-	-	-	939	-	-	-	-
Mississippi	2	-	1,025	793	-	-	20	-
WEST SOUTH CENTRAL								
Arkansas	1	1,106	2	366	-	-	-	-
Louisiana	2	-	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	-	-
MOUNTAIN								
Montana	-	23	-	3,156	-	4	-	-
Idaho	-	-	-	660	-	-	-	5
Wyoming	-	-	-	327	-	-	-	1
Colorado	-	-	-	-	-	64	-	-
New Mexico	-	1	-	422	-	-	1	-
Arizona	1	-	-	4,183	87	959	-	-
Utah	-	-	-	835	-	75	-	-
Nevada	-	-	-	339	-	-	-	-
PACIFIC								
Washington	-	-	-	11,634	1,149	1,950	1	-
Oregon	-	-	-	46	48	145	6	8
California	-	-	-	-	-	-	28	-
Alaska	-	-	-	863	588	56	-	-
Hawaii	-	-	4	2,170	59	-	-	2
Puerto Rico	-	-	-	1,353	-	-	-	-

TABLE II. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1962 — Continued

AREA	GASTRO-ENTERIC INFECTIONS	HISTO-PLASMOSIS	MENINGITIS (Other & Unspecified)	MONO-NUCLEOSIS, INFECTIOUS	MUMPS	RESPIRATORY INFECTIONS	RUBELLA (German Measles)
NEW ENGLAND							
Maine	501	-	44	67	2,424	1,089	514
New Hampshire	-	-	3	5	1,338	16	57
Vermont	-	-	-	182	1,644	-	-
Massachusetts	-	-	70	-	10,449	-	3,766
Rhode Island	-	-	57	109	2,226	-	129
Connecticut	-	-	35	755	5,051	2,389	1,338
MIDDLE ATLANTIC							
New York	-	-	157	-	5,561	-	4,246
New Jersey	-	-	-	-	-	4,602	-
Pennsylvania	-	-	96	360	-	-	-
EAST NORTH CENTRAL							
Ohio	1,408	15	-	54	4,698	-	979
Indiana	-	11	86	299	3,088	-	1,406
Illinois	375	11	304	-	4,685	-	2,030
Michigan	-	-	185	500	8,620	1,112	1,091
Wisconsin	-	6	1	1	19,118	838	4,365
WEST NORTH CENTRAL							
Minnesota	899	6	108	1,130	63	410	-
Iowa	-	48	20	44	2,186	-	416
Missouri	35	8	12	29	902	1,838	158
North Dakota	-	-	-	-	3,332	-	-
South Dakota	-	-	-	6	136	-	-
Nebraska	-	-	-	1	113	-	-
Kansas	106	5	15	-	-	-	-
SOUTH ATLANTIC							
Delaware	-	-	8	3	746	-	144
Maryland	-	-	84	22	1,231	-	258
District of Columbia	-	-	38	3	249	1,057	17
Virginia	-	7	-	-	-	-	-
West Virginia	-	1	-	131	1,801	70,380	960
North Carolina	104	-	-	-	-	-	-
South Carolina	-	-	17	2	-	-	-
Georgia	-	-	-	-	-	1,098	315
Florida	-	2	-	-	2,798	-	501
EAST SOUTH CENTRAL							
Kentucky	1,732	7	69	116	3,516	-	914
Tennessee	-	-	-	-	-	134,449	-
Alabama	-	22	76	-	470	-	57
Mississippi	-	49	52	85	504	-	-
WEST SOUTH CENTRAL							
Arkansas	-	26	28	34	216	-	59
Louisiana	-	12	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	-
MOUNTAIN							
Montana	45	-	8	-	-	-	1,011
Idaho	102	-	17	56	750	-	116
Wyoming	5	-	4	4	293	-	-
Colorado	-	-	93	-	2,731	9,218	1,729
New Mexico	14,856	8	12	12	347	25,332	26
Arizona	-	3	-	504	2,240	28,780	1,732
Utah	26	-	-	27	540	4,851	111
Nevada	4	-	-	-	107	1,764	-
PACIFIC							
Washington	3,820	-	103	18	7,675	-	5,152
Oregon	156	2	72	-	-	28,952	3,318
California	-	-	-	-	11,510	-	-
Alaska	1,723	-	9	27	145	24,218	152
Hawaii	-	-	-	-	734	950	198
Puerto Rico	-	-	109	-	755	-	-

TABLE 12. OTHER DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1962

(Diseases Reported by Ten States or Less)

Ascariasis	Ark. 28, Kans. 4, Minn. 9, Miss. 377
Aspergillosis	Minn. 2
Blastomycosis	Ark. 5, Ill. 1, Minn. 2
Cat Scratch Fever	Fla. 11, Me. 1
Coccidioidomycosis	Ariz. 985, Calif. 260, Iowa 2, Minn. 2, Wash. 2
Colorado Tick Fever	Colo. 125, D. C. 2, Ida. 3, Mont. 4, Ore. 18, Utah 8, Wash. 1, Wyo. 11
Coxsackie Infection (excluding meningitis)	D. C. 1, Minn. 8, Utah 1
Cryptococcosis	Fla. 3, Kans. 1, Mo. 1
ECHO Infection (excluding meningitis)	Minn. 4
Encephalitis, post-infectious	Ill. 89, Ore. 18
Erythema Infectiosum	Minn. 3
Food Poisoning, unspecified	Conn. 89, Ill. 916, Me. 111, Nev. 4, N. H. 45, N. J. 11, N. M. 1, N. Y. 487, Ore. 58, Wisc. 104
Fungal Infection, unspecified	Ill. 6
Herpes Zoster	Mo. 3
Impetigo	Ariz. 1453, Alaska 482, D. C. 13, Me. 510, Mich. 1379, Mo. 30, N. H. 6, N. Y. 8, Ore. 11
Intestinal parasite, unspecified	Kans. 7
Keratoconjunctivitis	Ind. 58, Mich. 11, Ore. 48
Listeriosis	Me. 2, Minn. 1
Nocardiosis	Ark. 5, Miss. 1
Ophthalmia neonatorum	Minn. 1, N. J. 3
Otitis media	Alaska 4914
Pediculosis	Me. 47, Mich. 65
Q Fever	Calif. 44, Colo. 1, Ida. 17, Ind. 1, Iowa 1, Minn. 1, Mont. 2, Ohio 1, Pa. 2, Wisc. 2
Rat Bite Fever	Hawaii 1
Relapsing Fever, tick-borne	Nev. 1
Rickettsialpox	Ark. 1, N. Y. 3
Scabies	Colo. 3, Kans. 1, Mich. 50, N. H. 2, Ore. 2
Schistosomiasis	N. Y. 372
Sporotrichosis	Minn. 1
Staphylococcal Infections	Alaska 359, D. C. 4, Ill. 822, N. C. 47, Ore. 111
Tapeworm infection	Minn. 1
Toxoplasmosis	Minn. 5, N. H. 1, N. M. 3
Trachoma	Colo. 2, Hawaii 2, Kans. 2, Mo. 1, Nebr. 1, Nev. 389 N. M. 2, Ore. 60, Utah 1
Urethritis, nonspecific	N. Y. 1437
Vincent's Infection	Alaska 10, Ida. 7, Ky. 18, Minn. 1, Mo. 5, N. H. 4, Ohio 1, R. I. 1, Wash. 3
Yaws	Wyo. 1 (Acquired outside U. S.)

UNIVERSITY OF FLORIDA
3 1262 08864 1799

UNIV OF FL LIB
DOCUMENTS DEPT.
U S DEPOSITORY

U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
Communicable Disease Center
Atlanta, Georgia 30333

Official Business

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H. E. W.

US AIR MAIL